



THE COUNTY OF GALVESTON

RUFUS G. CROWDER, CPPO, CPPB
PURCHASING AGENT

COUNTY COURTHOUSE
722 Moody (21st Street)
Fifth (5th) Floor
GALVESTON, TEXAS 77550

October 27, 2023

PROJECT NAME: California Avenue Improvement Project (FM 517 to 20th St)
SOLICITATION NO: ITB #B231032
RE: ADDENDUM #2

To All Prospective Bidders:

The following information is being provided to aid in preparation of your proposal submittal(s):

Submission Deadline/Bid Opening Date:

The Submission Deadline/ Bid Opening Date for ITB #B231032, California Avenue Improvements Project (FM 517 to 20th St.) remains as follows:

Date: Thursday, November 2, 2023

Time: 2:00 P.M.

Questions:

Question #1: *On the addendum released today there was a line item added for #102 for Well Pointing. This can't be bid Lump Sum without knowing the limits. Per spec 436 this needs to be bid by the Linear Foot and utilized when encountered and necessary. Can this item be changed from LS to LF?*

Response: Bid Item for Well Pointing has been modified to Linear Foot instead of Lump Sum. See revised bid form attached.

If you have any further questions regarding this bid, please address them to Rufus Crowder, CPPO CPPB, Purchasing Agent, via e-mail at rufus.crowder@co.galveston.tx.us, or contact the Purchasing Department at (409) 770-5371.

Rufus G. Crowder, CPPO CPPB
Galveston County Purchasing Agent
722 Moody, Fifth (5th) Floor
Galveston, Texas 77550
E-mail: purchasing.bids@co.galveston.tx.us

Please excuse us for any inconvenience that this may have caused.

Sincerely,

A handwritten signature in black ink, appearing to read "Rufus G. Crowder", written over a horizontal line.

Rufus G. Crowder, CPPO CPPB
Purchasing Agent
Galveston County

BID PROPOSAL**CALIFORNIA AVENUE IMPROVEMENT PROJECT (FM 517 TO 20TH STREET)**

ITEM NO.	SPEC. NO.	DESCRIPTION ⁽¹⁾	UNIT	QUAN.	UNIT PRICE ⁽²⁾	TOTAL PRICE
A	SITE PREPARATION AND EARTHWORK					
1	DWG	PROJECT SIGN	EA	2.00		
2	102	CLEARING AND GRUBBING	LS	1.00		
3	104	REMOVING OLD CONCRTEETE (PAVEMENT)	SY	2,232.30		
4	104	REMOVING OLD CONCRTEETE (SIDEWALK)	SY	30.60		
5	104	REMOVING OLD CONCRTEETE (CURB)	LF	69.00		
6	110	ROADWAY EXCAVATION INCLUDING 3" TOPSOIL	CY	6,772.00		
7	110	REGRADE ROADSIDE DITCHES	LF	9,238.00		
8	132	EMBANKMENT	CY	1,836.00		
9	465	REMOVE AND DISPOSE OF EXISTING CONCRETE OR METAL PIPE (ALL SIZES)	LF	3,600.00		
10	495	REMOVING OLD STRUCTURES (INLETS - ALL DEPTHS)	EA	11.00		
11	495	REMOVING OLD STRUCTURES (SAFETY END TREATMENTS)	EA	1.00		
12	495	REMOVING OLD STRUCTURES (HEADWALLS 0-5FT)	EA	6.00		
13	500	REMOVE AND RELOCATE TRAFFIC SIGNS, MAIL BOXES AND ROADWAY SIGNS	EA	1.00		
14	540	REMOVE AND DISPOSE EXISTING ASPHALTIC SURFACE AND BASE MATERIAL (ALL DEPTHS)	SY	18,452.50		
15	550	REMOVE AND REINSTALL WOOD FENCE	LF	482.00		
16	550	REMOVE AND REINSTALL CHAINLINK FENCE	LF	263.00		
SUBTOTAL FOR ITEM A						
B	PAVING					
17	220	LIME STABILIZED SUBGRADE (8" DEPTH)	SY	22285.50		
18	220	LIME STABILIZED SUBGRADE (6" DEPTH)	SY	2,768.73		
19	221	HYDRATED LIME (SLURRY) OR COMMERCIAL LIME SLURRY	TON	1,052.28		

ITEM NO.	SPEC. NO.	DESCRIPTION ⁽¹⁾	UNIT	QUAN.	UNIT PRICE ⁽²⁾	TOTAL PRICE
20	TXDOT 292	HOT MIX ASPHALTIC CONCRETE BASE COURSE (BLACK BASE) 5" DEPTH	TON	374.60		
21	360	CONCRETE PAVEMENT (7")	SY	18,946.98		
22	433	CEMENT STABILIZED SAND (3")	SY	2,768.73		
23	530	5' REINFORCED CONCRETE SIDEWALKS (4")	SY	2,500.14		
24	530	3' REINFORCED CONCRETE SIDEWALKS (5")	SY	24.90		
25	530	REINFORCED CONCRETE CURB (6")	LF	121.00		
26	530	COMMERCIAL CONCRETE DRIVEWAY (7")	SY	225.20		
27	530	RESIDENTIAL CONCRETE DRIVEWAY (6"), REPLACE IN KIND	SY	627.80		
28	TXDOT 340	RESIDENTIAL ASPHALT DRIVEWAY (2") TYPE D REPLACE IN KIND	TON	106.78		
29	530	ADA RAMP - TYPE 7	EA	34.00		
SUBTOTAL FOR ITEM B						
C	STORM SEWER					
30	421	STRUCTURAL CONCRETE (HEADWALL WITH FLARED WINGS FOR 45° SKEW PIPE CULVERTS)	CY	10.10		
31	429	TRENCH SAFETY SYSTEM (5' TO 10')	LF	6,310.00		
32	429	TRENCH SAFETY SYSTEM (10' TO 15')	LF	722.00		
33	429	TRENCH SAFETY SYSTEM (15' TO 20')	LF	100.00		
34	460	REINFORCED CONCRETE PIPE, C76, CLASS III, RUBBER GASKET (24")	LF	3,275.00		
35	460	REINFORCED CONCRETE PIPE, C76, CLASS III, RUBBER GASKET (30")	LF	829.00		
36	460	REINFORCED CONCRETE PIPE, C76, CLASS III, RUBBER GASKET (36")	LF	1,081.00		
37	460	REINFORCED CONCRETE PIPE, C76, CLASS III, RUBBER GASKET (42")	LF	1,313.00		
38	460	REINFORCED CONCRETE PIPE, C76, CLASS III, RUBBER GASKET (48")	LF	490.00		
39	460	REINFORCED CONCRETE PIPE, C76, CLASS III, RUBBER GASKET (54")	LF	860.00		
40	460	REINFORCED CONCRETE PIPE, C76, CLASS III, RUBBER GASKET (66")	LF	742.00		
41	460	REINFORCED CONCRETE PIPE, C76, CLASS III, RUBBER GASKET (72")	LF	888.00		
42	460	REINFORCED CONCRETE ARCH PIPE, C76, CLASS III, RUBBER GASKET (18" X 28.5")	LF	438.00		
43	460	REINFORCED CONCRETE ARCH PIPE, C76, CLASS III, RUBBER GASKET (22.5" X 36.25")	LF	392.00		

ITEM NO.	SPEC. NO.	DESCRIPTION ⁽¹⁾	UNIT	QUAN.	UNIT PRICE ⁽²⁾	TOTAL PRICE
44	460	REINFORCED CONCRETE ARCH PIPE, C76, CLASS III, RUBBER GASKET (26.625" X 43.75")	LF	86.00		
45	464	6" PVC PIPE	LF	10.00		
46	471	PRECAST CONCRETE STANDARD MANHOLE (5' TO 10')	EA	10.00		
47	471	PRECAST CONCRETE EXTRA DEEP MANHOLE (10' TO 15')	EA	5.00		
48	471	PRECAST JUNCTION BOX (6' X 6')	EA	1.00		
49	471	PRECAST JUNCTION BOX (7' X 7')	EA	1.00		
50	471	PRECAST JUNCTION BOX (8' X 8')	EA	5.00		
51	471	PRECAST JUNCTION BOX (10' X 10')	EA	2.00		
52	472	TYPE E INLET	EA	30.00		
53	472	TYPE A INLET	EA	1.00		
54	473	ADJUST EXISTING STORM SEWER MANHOLE	EA	1.00		
55	480	REINFORCED CONCRETE BOX CULVERT (8' X 3')	LF	38.00		
56	COH 2632	CONCRETE COLLAR	EA	2.00		
57	COH 2632	CONFLICT JUNCTION BOX (4' X 4')	EA	2.00		
58	COH 2632	CONFLICT JUNCTION BOX (4' X 8')	EA	1.00		
59	COH 2632	CONFLICT JUNCTION BOX (5' X 5')	EA	1.00		
60	COH 2632	CONFLICT JUNCTION BOX (6' X 6')	EA	3.00		
61	COH 2632	CONFLICT JUNCTION BOX (7' X 7')	EA	3.00		
62	COH 2632	CONFLICT JUNCTION BOX (7' X 11')	EA	1.00		
63	COH 2632	CONFLICT JUNCTION BOX (8' X 8')	EA	3.00		
64	COH 2632	CONFLICT JUNCTION BOX (8' X 15' W/ 30° SKEW	EA	1.00		
SUBTOTAL FOR ITEM C						
D	WATER DISTRIBUTION					
65	WCID DWG	6-INCH WATER LINE, COMPLETE IN PLACE	LF	553.00		
66	WCID DWG	8-INCH WATER LINE, COMPLETE IN PLACE	LF	196.00		
67	WCID DWG	12-INCH WATER LINE, COMPLETE IN PLACE	LF	419.00		
68	WCID DWG	2-INCH WET CONNECTION	EA	5.00		
69	WCID DWG	6-INCH WET CONNECTION	EA	7.00		
70	WCID DWG	8-INCH WET CONNECTION	EA	14.00		
71	WCID DWG	12-INCH WET CONNECTION	EA	18.00		
72	WCID DWG	6-INCH GATE VALVE	EA	12.00		
73	WCID DWG	8-INCH GATE VALVE	EA	3.00		

ITEM NO.	SPEC. NO.	DESCRIPTION ⁽¹⁾	UNIT	QUAN.	UNIT PRICE ⁽²⁾	TOTAL PRICE
74	WCID DWG	ADJUST EXISTING GATE VALVE, STACK, AND LID	EA	35.00		
75	WCID DWG	NEW SERVICE LINE, LONG SIDE	EA	7.00		
SUBTOTAL FOR ITEM D						
E	SANITARY SEWER					
76	WCID DWG	SANITARY SEWER SERVICE LEAD, LONG SIDE	EA	12.00		
77	473	ADJUST EXISTING SANITARY SEWER MANHOLE	EA	28.00		
SUBTOTAL FOR ITEM E						
F	TRAFFIC CONTROL PLAN					
78	671	TRAFFIC CONTROL - BARRICADES, BARRIERS, BARRELS, CONES, AND SIGNING	MO	7.00		
79	673	CONSTRUCTING DETOURS - 8" BLACK BASE	SY	2,163.00		
80	696	LOW PROFILE CONCRETE BARRIER (FURNISH AND INSTALL)	LF	2,000.00		
81	696	LOW PROFILE CONCRETE BARRIER (RELOCATE)	LF	4,885.00		
82	696	LOW PROFILE CONCRETE BARRIER (REMOVE)	LF	2,000.00		
SUBTOTAL FOR ITEM F						
G	SIGNING AND PAVEMENT MARKINGS					
83	624	ALUMINUM SIGNS (GROUND MOUNTED) - FURNISH & INSTALL	EA	32.00		
84	660	REFLECTORIZED PAVEMENT MARKINGS TYPE I (THERMOPLASTIC) 4" YELLOW/SOLID - FURNISH AND INSTALL	LF	9,909.00		
85	660	REFLECTORIZED PAVEMENT MARKINGS TYPE I (THERMOPLASTIC) 4" WHITE/SOLID - FURNISH AND INSTALL	LF	13,546.00		
86	660	REFLECTORIZED PAVEMENT MARKINGS TYPE I (THERMOPLASTIC) 12" WHITE/SOLID - FURNISH AND INSTALL	LF	761.00		
87	660	REFLECTORIZED PAVEMENT MARKINGS TYPE I (THERMOPLASTIC) 24" WHITE/SOLID - FURNISH AND INSTALL	LF	328.00		
88	663	REFLECTORIZED PAVEMENT MARKERS TYPE II-A-A YELLOW - FURNISH AND INSTALL	EA	324.00		
89	663	REFLECTORIZED PAVEMENT MARKERS TYPE II BLUE - FURNISH AND INSTALL	EA	11.00		
90	665	WORK ZONE PAVEMENT MARKINGS (NON-REMOVEABLE) 4" YELLOW/SOLID	LF	4,310.00		
91	665	WORK ZONE PAVEMENT MARKINGS (NON-REMOVEABLE) 4" WHITE/SOLID	LF	4,310.00		

ITEM NO.	SPEC. NO.	DESCRIPTION ⁽¹⁾	UNIT	QUAN.	UNIT PRICE ⁽²⁾	TOTAL PRICE
92	665	WORK ZONE PAVEMENT MARKINGS (NON-REMOVEABLE) 24" WHITE/SOLID	LF	165.00		
93	665	WORK ZONE PAVEMENT MARKINGS (REMOVEABLE) 4" YELLOW SOLID	LF	4,500.00		
94	665	WORK ZONE PAVEMENT MARKINGS (REMOVEABLE) 4" WHITE SOLID	LF	4,500.00		
95	670	TYPE III BARRICADE	EA	1.00		
SUBTOTAL FOR ITEM G						
H	STORM WATER POLLUTION PREVENTION PLAN					
96	162	SODDING FOR EROSION CONTROL (VARIOUS WIDTH)	SY	2170.40		
97	165	HYDRO-MULCH SEEDING	AC	3.90		
98	713	REINFORCED FILTER FABRIC BARRIER (60% OF UNIT COST FOR FURNISH & INSTALLATION AND 40% OF UNIT COST FOR REMOVAL)	LF	1,634.00		
99	730	CONCRETE TRUCK WASHOUT STRUCTURES (60% OF UNIT COST FOR FURNISH & INSTALLATION AND 40% OF UNIT COST FOR REMOVAL)	LS	1.00		
100	741	INLET PROTECTION BARRIER (FOR STAGE II INLETS, GRAVEL BAGS; 60% OF UNIT COST FOR FURNISH & INSTALLATION AND 40% OF UNIT COST FOR REMOVAL)	LF	820.00		
100	751	SWPPP INSPECTION AND MAINTENANCE (MIN. BID. - \$6,000.00)	LS	1.00		
SUBTOTAL FOR ITEM H						
I	**EXTRA WORK ITEMS					
101	TXDOT 247	FLEXIBLE BASE TY A, GR II (8") - COMPLETE IN PLACE	SY	568.90		
102	436	WELL POINTING	LF	7,132.00		
103	559	CONSTRUCTION SAFETY FENCE	LF	365.00		
104	672	OFF-DUTY PEACE OFFICER - AS DIRECTED BY ENGINEER (MIN. BID. - \$50/HR)	HR	1.00		
105	WCID DWG	12" GATE VALVE	EA	1.00		
106	WCID DWG	12" X 6" TS&V	EA	1.00		
107	WCID DWG	12" X 8" TS&V	EA	1.00		
SUBTOTAL FOR ITEM I						
TOTAL BASE BID						

Notes:

1. The intent of the Contract Documents is for the Contractor to include all items necessary for the proper execution and completion of the Work described in the Contract Documents. No separate measurement and payment shall be made for any work unless identified as a pay item in the BID. Include the cost of work not identified as a separate pay item in Contract price bid for items of which this work is a component. In case of discrepancy between measurement and payment within the BID and Technical Specification Section, the BID shall govern.

2. In the event of a discrepancy, this column shall govern.